

**RECEIVED**  
**CENTRAL FAX CENTER**  
**JUN 16 2005**

Docket No. 004518/00019

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

<b>APPLICANT:</b>	West et al.	<b>EXAMINER:</b>	Vestal, R.M.
<b>SERIAL NO.:</b>	10/074,219	<b>GROUP:</b>	1753
<b>FILED:</b>	12 February 2002	<b>CONF. NO.:</b>	6185
<b>FOR:</b>	Combination pH Electrode with Stable Standard Potential		


COMMISSIONER FOR PATENTS  
P.O. BOX1450  
ALEXANDRIA, VA 22313-1450  
**FILED VIA FACSIMILE TO: (703) 872-9306 (14 Total Pages)**

Sir:

**FINAL REJECTION RESPONSE & NOTICE OF APPEAL**

In response to the Final Rejection dated 29 March 2005 please enter the Remarks provided herein into the record. Applicant intends to appeal the final rejection, and submits herein a Notice of Appeal.

Respectfully submitted,



Ernest V. Linek (Reg. No. 29,822)

Attorney for Applicant

**BANNER & WITCOFF, LTD.**

28 State Street, 28<sup>th</sup> Floor

Boston, MA 02109-1775

Tel: (617) 720-9600

Fax: (617) 720-9601

E-Mail: ELinek@bannerwitcoff.com

Date: June 16, 2005